




acheson + glover

## Construction Products Regulations



### DECLARATION OF PERFORMANCE

No: 05 / 1-7-13

BSEN: **771-3 : 2011**

Unit: **Common Blocks:**

Attest : **4**

Works: AGL Fivemiletown, 127 Crievehill Road, Fivemiletown, Co. Tyrone

Works: AGL Ballygawley, 11 Aghnagar Road, Tullyvannon, Ballygawley, Co. Tyrone

Types: **100mm 140mm**

Use: Internal / External walls to be rendered.

### Declared Performance

Essential Requirements	External Face	Additional data
Breaking Strength	7-24 Mpa	
Dimensional Tolerance	D1	+3mm / -5mm
Configuration	Solid : Group 1	BSEN 1996 -1-1
Moisture Movement Co-efficient		
Bond Strength	0.15N/mm <sup>2</sup>	Annex C BSEN 998-2
Reaction to fire	A1	Fixed
Drying Shrinkage	0.03%	Mean value
Target Gross Dry Density	1900-2100 Kg / m <sup>3</sup>	variable
Thermal Conductivity		
Water Absorption by capillarity		
Water Vapour Permeability	Tabulated Values	EN 1745
Durability		
Dangerous Substances	None	

Products conform to Attestation Level 4 as designated under CPR [2011] Annex V.

Compliance is achieved by FPC system of testing and inspections to the relevant Standard.

I hereby declare that the products named above are in conformity with the essential requirements of the Construction Products Regulations and the above Standard when installed in accordance with Acheson & Glover's guidelines

Signed:

Full Name: Stephen Acheson

Position: Managing Director, Acheson & Glover Ltd

Date: 1st July 2013