



Construction Products Regulations

DECLARATION OF PERFORMANCE

No: 01H / 1-3 -14

BSEN: 1339 : 2003

UNIT: Caliza Flags

Attest. 4

Works: AGL Toome, 60 Creagh Road, Co. Antrim

Types: 400 x 400 x 50 400 x 400 x 65 400 x 400 x 80
 600 x 400 x 50 600 x 400 x 65 600 x 400 x 80

Use: Suitable for pedestrian and vehicular trafficked areas

Declared Performance

Essential Requirements	Performance Value	BSEN 1339:2003
Breaking Strength C_s [MPa]	>3.5MPa	Annex F
Breaking Load [kN] 50mm	> 5Kn	
Breaking Load [kN] 65mm	> 7Kn	
Breaking Load [kN] 80 mm	>11Kn	
Slip / Skid resistance	>45	
Durability	Satisfactory	Cl. 5.3.2-5.3.3.4 & 5.3.5.3
Reaction to fire	Class A1	Cl. 5.3.6.1
External Fire [Roof]	Class A1	Cl. 5.3.6.2
Emission of Asbestos	None	Cl. 4.2
Abrasion Resistance	< 23	Annex G

Products conform to Attestation Level 4 as designated under CPR [2011] Annex V.

Compliance is achieved by FPC system of testing and inspections to the relevant Standard.

I hereby declare that the products named above are in conformity with the essential requirements of the Construction Products Regulations and the following Standard when installed in accordance with Acheson & Glover's guidelines

Signed:



Full Name: Stephen Acheson

Position: Managing Director, Acheson & Glover Ltd

Date: 12th March 2014