



Construction Products Regulations

DECLARATION OF PERFORMANCE

No: 04 / 1-7-13

BSEN: 1338: 2003

Unit: **Concrete Paving Blocks**

Attest. **4**

Works: AGL Toome, 60 Creagh Road, Toomebridge , Co. Antrim

Works: AGL Fivemiletown, 127 Crievehill Road, Fivemiletown, Co. Tyrone

Types: **Cobble Cobble**

River Stone / River Stone 3's

Plaza / Plaza 3's

Boulevard / Boulevard 3's

Rectangular

Circles

Xflo

Setts

Use: External / Internal / Commercial / Residential / Pedestrianised areas / Vehicular overrun

Declared Performance

Essential Requirements	Performance Value	BSEN 1338:2003
Tensile Splitting Strength	>3.6MPa > 250 kN	Cl. 5.3.3.2
Water Absorption	<6 : Class 2	Cl.5.3.2.2 Table 4.1
Dimensions	As per Tables 1, 2, and 3	Cl.5.2
Slip / Skid resistance	>45	Cl.5.3.5.3
Durability	Satisfactory	
Reaction to fire	Class A1	
External Fire [Roof]	Class A1	
Emission of Asbestos	None	
Abrasion Resistance	< 23	Cl.5.3.4.2 Table 5

Products conform to Attestation Level 4 as designated under CPR [2011] Annex V.

Compliance is achieved by FPC system of testing and inspections to the relevant Standard.

I hereby declare that the products named above are in conformity with the essential requirements of the Construction Products Regulations and the above Standard when installed in accordance with Acheson & Glover's guidelines

Signed:



Full Name: Stephen Acheson

Position: Managing Director, Acheson & Glover Ltd

Date: 1st July 2013